




HRQoL assessment in Routine Clinical Practice

Clinical Experience

Dr Nathalie Meneveau



Via le logiciel CHES

Moteur de recherche OK

ACCUEIL LE GCS EMOSIST INFORMATIONS UTILES AGENDA ESPACE COLLABORATIF CONTACTEZ-NOUS

Accueil

Ma page d'accueil

Le télésuivi des plaies chroniques traitées au domicile


L'agence régionale de santé de Franche-Comté, en collaboration avec le Centre de traitement ambulatoire des plaies chroniques du centre hospitalier universitaire de Besançon et douze sites volontaires, a développé un dispositif de télésuivi des plaies chroniques à domicile. Celui-ci est mis en oeuvre par des infirmiers libéraux depuis 2009.


[En savoir plus >>](#)


www.oncolie.fr


viaTrajectoire


Agenda Médical


Bonnes Pratiques de...


Dossier Communiquant d...


QOLIBRY
Etude QOLIBRY
(accès...)

[→ \[Gérer mes favoris\]](#)

Espace professionnel


GUILLAUME MOUILLET
Dernière visite : 09/01/2017 à 15:01

- Mes applications
- Mon compte
- Changer mon mot de passe
- Déconnexion

Agenda

» Jour » Semaine » Mois

Il n'y a aucun évènement



Clinical Case 1

- Female
- 67 yrs old
- Breast cancer pT2N1M0 ER+ HER 2-treated by surgery, chemotherapy and radiotherapy-
- Chemotherapy : Paclitaxel(1/week during 9 weeks); Anthracyclines(1/21 days during , 3 schedules)
- Enrolled in QOLIBRY

CLINICAL CASE 1

- She lives with her mother who is 92 years old
- She assists her for daily activities: cooking, grooming, dressing...
- She used to spend time on housework
- She doesn't receive any assistance


CLINICAL CASE 1

- After 2 weeks of chemotherapy treatment :
 - memory disorders
 - asthenia
- After 4 weeks :
 - persisting troubles unchanged


CLINICAL CASE 1

- Adapted physical activity (APA) suggested
- Requiring a coach dedicated to oncology
- APA sessions once a week up to the end of the treatment


Cognitive functions




Physical capacities




Fonctionnement physique




Fonctionnement de rôle



Fonctionnement social



Fonctionnement émotionnel



CLINICAL CASE 1

- Impact of APA :

- 1/ improved clinical status (asthenia)

- 2/ improved cognitive functions

- 3/ break out of social isolation (unrecognized)

LIMITATIONS OF « CHES » EVALUATION

- In this clinical case:
- Appropriate assessment of cognitive functions & physical capacities
- Inappropriate assessment of social integration (social isolation unrecognized by the pt)


CLINICAL CASE 2

- Female
- 45 yrs old
- Breast cancer pT1N0M0- RE-RP- HER2- treated by surgery, chemotherapy, radiotherapy
- Chemotherapy schedule : 9 Paclitaxel (1/week) - 3 EC(1/3 weeks)
- Enrolled in QOLIBRY


CLINICAL CASE 2

- During Taxanes chemotherapy:
 - OMS statut 0
 - Moderate asthenia
 - Usual Physical activities(running; swimming)
 - BUT vomiting symptoms++ after 6 taxanes cycles


Fatigue



Nausée et vomissement



Difficultés financières



CLINICAL CASE 2

- Financial difficulty highlighted by the test
- The patient could meet the social worker
- Financial aid

CONCLUSION

- CHES is useful for:
 - Patients, regarding identification of physical & psychological symptoms, social difficulties...
 - Oncologists, regarding implementation of supportive oncology care